

Tork Toilet Seat Cleaner



Article	420302
System	S2
Fragrance	Alcohol Smell
	QQY1-VK1W- Q31S-4TV1
Color	Transparent

Tork Toilet Seat Cleaner provides extra reassurance to visitors. Ensure a cleaner toilet seat with one dose of Toilet Seat cleaner on a piece of toilet paper. Suitable for Tork Mini Liquid Soap Dispensers, proven easy to use.

www.tork.co.uk

Hygienic: Sealed refill with single use pump reduces risk of cross contamination when refilling

Bottle collapses as contents are used, reducing waste

Easy to use certification: Easy-handling bottles are sealed to prevent dripping, making dispenser refills quick and easy

Shipping data			
	Consumer unit	Transport unit	Pallet
EAN	7322540390865	7322540390872	7322540720648
Pieces	1	8	720
Consumer units	-	8	720
Height	164 mm	184 mm	1265 mm
Width	92 mm	196 mm	1000 mm
Length	92 mm	392 mm	1200 mm
Volume	1.39 dm ³	14.14 dm ³	1.27 m ³
Net weight	452.2 g	3.6 kg	325.62 kg
Gross weight	485.8 g	4.1 kg	368.55 kg
Packing material	Plastic bottle	Carton	-

Product certificates



Contact

Essity UK Ltd
 Southfields Road
 Dunstable
 Bedfordshire
 LU6 3EJ

TorkCS.UK@essity.com

Tel 01582 677570
 Fax 01582 677580

Technical data	
Ingredients	Active ingredients: Alcohol Denat. <20g/100g, Isopropyl Alcohol <5g/100g
pH	n.a.
Method Of Use	Apply one to two dosages onto a paper for cleaning and wiping the toilet seat.
Shelf Life	Expiration date of 72 months after production date is printed on inner and outer packaging. Store in a dry, cool and well-ventilated place. Relative room humidity > 50%. Keep out of direct sunlight. Keep in transport box between 0 and 30 degrees C
Handling Instructions	Use detergents safely. Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water (for at least 10 minutes) and seek medical advice. For more information, please refer to the Safety Data Sheet.
Regulatory Compliance	In accordance with 453/2010 and 1272/2008 Classification in accordance with 1272/2008 Flammable liquids (category 3). Classifications in accordance with 1999/45/EG. Label information in accordance with 1272/2008.
Certification	ISO 22716 (Good Manufacturing Practice) ISO 9001 & 13485 (Quality Management System) ISO 14001 (Environmental Management System)
Safety Data Sheet	For safe use and handling of the products, please follow the recommendations on the Safety Data Sheets. These are available on the Tork website in all required local versions according to actual legal requirements for these regions (e.g. according to CLP for Europe).
Product Testing	Dermatological test: The 48 hour single patch test results have been validated by an external dermatologist to show the product to be non-irritant