



Tork Singlefold Hand Towel

290153

Think ahead.



Description

Satisfy basic hand drying needs with the Universal Tork Singlefold Hand Towels that provide an economic value for your money. These towels are suitable for the Tork Singlefold Hand Towel Dispenser for demanding environments. It helps control consumption and helps promote good hygiene with its reliable one-at-a-time dispensing.

- Attractive Tork Leaf décor: designed to make a great impression
- Good value for money hand towel suitable for basic needs
- One-at-a-time dispensing for reduced consumption and increased hygiene
- Universal
- Embossing
- 100% recycled

Certifications



Tork Universal

Product Details

| | |
|--------|----|
| System | H3 |
|--------|----|

Shipping Data

| | Consumer Units (CON) | Transport unit (TRP) | Pallet (PAL) |
|--------------------|----------------------|----------------------|-----------------|
| EAN | 7322540859843 | 7322540859850 | 7322540859782 |
| Packaging Material | Banderole | Carton | - |
| Pieces | 300 | 4500 (15 CON) | 112500 (25 TRP) |
| Height | 130 mm | 235 mm | 1,336 mm |
| Length | 115 mm | 595 mm | 1,200 mm |
| Width | 225 mm | 405 mm | 1,000 mm |
| Gross Weight | 550.38 g | 8.73 kg | 218.22 kg |
| Net Weight | 543.38 g | 8.15 kg | 203.77 kg |
| Volume | 3.36 dm3 | 56.63 dm3 | 1.6 m3 |
| Layers Per Pallet | - | - | 5 |
| TRP Per Layer | - | - | 5 |



Think ahead.

Tork Singlefold Hand Towel

290153

Compatible Products



Tork Singlefold HT Disp Metal White
208140



Tork Singlefold Hand Towel Disp White
553000



Tork Mini Singlefold HT Disp White
553100



Tork Mini Singlefold HT Disp Black
553108

Environmental Information

Content

The product is made from

Recycled fibres
Chemicals

The packaging material is made from paper or plastic.

Material

Recycled fibres

Recycling of paper is an efficient use of resources as the wood fibres are used more than once.

High demands are put on quality and purity of recovered paper, considering each step of the chain (collecting, sorting, transporting, storage, use), to ensure safe and hygienic products.

Recycled fibres can be produced from different types of recovered paper, such as collected newsprint, magazines, office waste, paper cups, drink cartons, corrugated boxes and paper hand towels. The choice of recovered paper grades is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities.

Bleaching of pulp, used for tissue, is primarily a process to remove substances that could have a negative effect on important properties of the finished product such as purity, absorption, strength and colour of the pulp.

Bleaching of the recycled fibre pulp is done using chlorine-free bleaching agents (hydrogen peroxide and sodium dithionite). Some of our products are bleached and some are not.

For bleached products we use bleaching agents (to increase the brightness of pulp from recovered paper).

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (are used together with mechanical treatment of the pulp to make strong products like wipers)
- For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added
- For printed products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use water soluble glue to secure the integrity of the product

Tork Singlefold Hand Towel

290153

In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke and to utilise recovered fibres we use:

- Pulping aid (chemicals that help to repulp wet strong paper)
- Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)
- Bleaching agents (to increase the brightness of pulp from recovered paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

| | |
|--|---|
| Food Contact | This product fulfills the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time. |
| Environmental certification | This product is certified with the EU Ecolabel with certificate number SE/004/001. This product is certified for FSC® with certificate number SA-COC-008266. |
| Packaging | Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes |
| Article creation date and latest article revision | Date of issue: 19-04-2019 Revision date: 24-09-2025 |
| Production | This product is produced at Prudhoe - GB mill and certified according to ISO 9001, BRC-IoP, ISO 14001 (Environmental management systems), OHSAS 18001 and FSC Chain-Of-Custody. |
| Destruction | This product is mainly used for personal hygiene and can be collected together with household waste. |

Essity UK Ltd, Southfields Road, Dunstable, Bedfordshire LU6 3EJ, United Kingdom